

Positioning Devices

COMPANY

IDEX TECHNOLOGY (SUZHOU) CO LTD

No.51 TangBang Road, CaoHu Boulevard
Xiang Cheng District
Suzhou, Jiangsu Sheng 215131 China

E473020

Cable Ties Investigated to ANSI/UL 62275

Cat. No.	Type	Bundle Dia.		Loop Tensile Str. N	Operating Temp. °C		Min. Install. Temp. °C	Resistant to UV Light	Air Handling Spaces	IEC 62275 Type
		mm	Min Max		Min	Max				
Coated Metallic Cable Ties										
AE4339-20(match with AE4539)	2	38	457.2	2803	-	200	-	-	AH-2	-
AE4349-20(match with AE4549)	2	38	457.2	3737	-	200	-	-	AH-2	-
AE4359-20(match with AE4559)	2	38	457.2	4672	-	200	-	-	AH-2	-
KT6B046-015,KT4B046-015	2	12.7	35	623	-	150	-	Y	AH-2	-
KT6B046-020,KT4B046-020	2	12.7	52	623	-	150	-	Y	AH-2	-
KT6B046-025,KT4B046-025	2	12.7	67	623	-	150	-	Y	AH-2	-
KT6B046-030,KT4B046-030	2	12.7	83	623	-	150	-	Y	AH-2	-
KT6B046-035,KT4B046-035	2	12.7	99	623	-	150	-	Y	AH-2	-
KT6B046-040,KT4B046-040	2	12.7	115	623	-	150	-	Y	AH-2	-
KT6B046-045,KT4B046-045	2	12.7	131	623	-	150	-	Y	AH-2	-

KT6B046-050,KT4B046-050	2	12.7	147	623	-	150	-	Y	AH-2	-
KT6B046-055,KT4B046-055	2	12.7	163	623	-	150	-	Y	AH-2	-
KT6B046-060,KT4B046-060	2	12.7	179	623	-	150	-	Y	AH-2	-
KT6B046-065,KT4B046-065	2	12.7	194	623	-	150	-	Y	AH-2	-
KT6B046-070,KT4B046-070	2	12.7	211	623	-	150	-	Y	AH-2	-
KT6B046-080,KT4B046-080	2	12.7	242	623	-	150	-	Y	AH-2	-
KT6B046-090,KT4B046-090	2	12.7	274	623	-	150	-	Y	AH-2	-
KT6B046-100,KT4B046-100	2	12.7	306	623	-	150	-	Y	AH-2	-
KT6B046-110,KT4B046-110	2	12.7	338	623	-	150	-	Y	AH-2	-
KT6B046-120,KT4B046-120	2	12.7	369	623	-	150	-	Y	AH-2	-
KT6B078-015,KT4B078-015	2	12.7	35	712	-	150	-	Y	AH-2	-
KT6B078-020,KT4B078-020	2	12.7	52	712	-	150	-	Y	AH-2	-
KT6B078-025,KT4B078-025	2	12.7	67	712	-	150	-	Y	AH-2	-
KT6B078-030,KT4B078-030	2	12.7	83	712	-	150	-	Y	AH-2	-
KT6B078-035,KT4B078-035	2	12.7	99	712	-	150	-	Y	AH-2	-
KT6B078-040,KT4B078-040	2	12.7	115	712	-	150	-	Y	AH-2	-
KT6B078-045,KT4B078-045	2	12.7	131	712	-	150	-	Y	AH-2	-
KT6B078-050,KT4B078-050	2	12.7	147	712	-	150	-	Y	AH-2	-
KT6B078-055,KT4B078-055	2	12.7	163	712	-	150	-	Y	AH-2	-
KT6B078-060,KT4B078-060	2	12.7	179	712	-	150	-	Y	AH-2	-

KT6B078-065,KT4B078-065	2	12.7	194	712	-	150	-	Y	AH-2	-
KT6B078-070,KT4B078-070	2	12.7	211	712	-	150	-	Y	AH-2	-
KT6B078-080,KT4B078-080	2	12.7	242	712	-	150	-	Y	AH-2	-
KT6B078-090,KT4B078-090	2	12.7	274	712	-	150	-	Y	AH-2	-
KT6B078-100,KT4B078-100	2	12.7	306	712	-	150	-	Y	AH-2	-
KT6B078-110,KT4B078-110	2	12.7	338	712	-	150	-	Y	AH-2	-
KT6B078-120,KT4B078-120	2	12.7	369	712	-	150	-	Y	AH-2	-
KT6B078-130,KT4B078-130	2	12.7	401	712	-	150	-	Y	AH-2	-
KT6B078-140,KT4B078-140	2	12.7	433	712	-	150	-	Y	AH-2	-
KT6B078-150,KT4B078-150	2	12.7	465	712	-	150	-	Y	AH-2	-
Uncoated Metallic Cable Ties										
KT6U046-015,KT4U046-015	2	12.7	35	845	-	300	-	Y	AH-1	-
KT6U046-020,KT4U046-020	2	12.7	52	845	-	300	-	Y	AH-1	-
KT6U046-025,KT4U046-025	2	12.7	67	845	-	300	-	Y	AH-1	-
KT6U046-030,KT4U046-030	2	12.7	83	845	-	300	-	Y	AH-1	-
KT6U046-035,KT4U046-035	2	12.7	99	845	-	300	-	Y	AH-1	-
KT6U046-040,KT4U046-040	2	12.7	115	845	-	300	-	Y	AH-1	-
KT6U046-045,KT4U046-045	2	12.7	131	845	-	300	-	Y	AH-1	-
KT6U046-050,KT4U046-050	2	12.7	147	845	-	300	-	Y	AH-1	-
KT6U046-055,KT4U046-055	2	12.7	163	845	-	300	-	Y	AH-1	-

KT6U046-060,KT4U046-060	2	12.7	179	845	-	300	-	Y	AH-1	-
KT6U046-065,KT4U046-065	2	12.7	194	845	-	300	-	Y	AH-1	-
KT6U046-070,KT4U046-070	2	12.7	211	845	-	300	-	Y	AH-1	-
KT6U046-080,KT4U046-080	2	12.7	242	845	-	300	-	Y	AH-1	-
KT6U046-090,KT4U046-090	2	12.7	274	845	-	300	-	Y	AH-1	-
KT6U046-100,KT4U046-100	2	12.7	306	845	-	300	-	Y	AH-1	-
KT6U046-110,KT4U046-110	2	12.7	338	845	-	300	-	Y	AH-1	-
KT6U046-120,KT4U046-120	2	12.7	369	845	-	300	-	Y	AH-1	-
KT6U078-015,KT4U078-015	2	12.7	35	1245	-	300	-	Y	AH-1	-
KT6U078-020,KT4U078-020	2	12.7	52	1245	-	300	-	Y	AH-1	-
KT6U078-025,KT4U078-025	2	12.7	67	1245	-	300	-	Y	AH-1	-
KT6U078-030,KT4U078-030	2	12.7	83	1245	-	300	-	Y	AH-1	-
KT6U078-035,KT4U078-035	2	12.7	99	1245	-	300	-	Y	AH-1	-
KT6U078-040,KT4U078-040	2	12.7	115	1245	-	300	-	Y	AH-1	-
KT6U078-045,KT4U078-045	2	12.7	131	1245	-	300	-	Y	AH-1	-
KT6U078-050,KT4U078-050	2	12.7	147	1245	-	300	-	Y	AH-1	-
KT6U078-055,KT4U078-055	2	12.7	163	1245	-	300	-	Y	AH-1	-
KT6U078-060,KT4U078-060	2	12.7	179	1245	-	300	-	Y	AH-1	-
KT6U078-065,KT4U078-065	2	12.7	194	1245	-	300	-	Y	AH-1	-
KT6U078-070,KT4U078-070	2	12.7	211	1245	-	300	-	Y	AH-1	-

KT6U078-080,KT4U078-080	2	12.7	242	1245	-	300	-	Y	AH-1	-
KT6U078-090,KT4U078-090	2	12.7	274	1245	-	300	-	Y	AH-1	-
KT6U078-100,KT4U078-100	2	12.7	306	1245	-	300	-	Y	AH-1	-
KT6U078-110,KT4U078-110	2	12.7	338	1245	-	300	-	Y	AH-1	-
KT6U078-120,KT4U078-120	2	12.7	369	1245	-	300	-	Y	AH-1	-
KT6U078-130,KT4U078-130	2	12.7	401	1245	-	300	-	Y	AH-1	-
KT6U078-140,KT4U078-140	2	12.7	433	1245	-	300	-	Y	AH-1	-
KT6U078-150,KT4U078-150	2	12.7	465	1245	-	300	-	Y	AH-1	-

Last Updated on 2023-12-11

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."